

---

# Altec Ac38 127s

---

## [MOBI] Altec Ac38 127s

As recognized, adventure as skillfully as experience approximately lesson, amusement, as competently as arrangement can be gotten by just checking out a ebook [Altec Ac38 127s](#) next it is not directly done, you could admit even more not far off from this life, not far off from the world.

We pay for you this proper as well as easy habit to acquire those all. We give Altec Ac38 127s and numerous books collections from fictions to scientific research in any way. in the middle of them is this Altec Ac38 127s that can be your partner.

### [Altec Ac38 127s](#)

#### **AC38-127S - Grues Guay**

AC38-127S STANDARD FEATURES OPTIONS • Altec LMAP (Load Moment & Area Protection) System »ated Capacity Limiter R » Displays: Boom Length, Boom Angle, Load on Hook, Percent of Rated Capacity » Operator Defined Audible Alarm Set-Points for Boom Angle, Length and Rotational Position

#### **Altec AC38-127S - WOODS CRANE S**

www.alteccom Altec Industries, Inc 325 South Center Drive Daleville, VA 24083 ALT3009921 AC38-127S-3M-08/07 For Service: 1-877-GO-ALTEC For Sales: 1-540-992-5300 Altec Cranes are supported by service centers and over 115 mobile service technicians positioned across North America, seven days a week, 24 hours a day

#### **AC38-127S - old.cranenetwork.com**

Altec Industries, Inc 325 South Center Drive Daleville, VA 24083 80002009921 AC38-127S-3M-08/06 For Service: 1-877-GO-ALTEC For Sales: 1-540-992-5300 Altec Cranes are supported by service centers and over 115 mobile service technicians positioned across ...

#### **AC38-127S - CraneNetwork.com**

As standard equipment on the AC38-127S, Altec's dual entry cab provides safe access/egress throughout the entire range of rotation The 20 degree tilt feature maximizes the viewing spectrum on the job site LOAD CHART - FULL SPAN OUTRIGGERS Note 1: When jib is erected, boom must be fully retracted before lowering below minimum boom with jib

#### **Altec AC38-127S - Tessier ltee**

Altec AC38-127S Hydraulic Telescopic Crane • 38 Ton (345 t) Maximum Lifting Capacity • 127 ft (387 m) 5-Section Boom • Altec LMAP (Load Moment & Area Protection) System

#### **imagecrane.com**

altec ac38-1279 capacities model ac38— 127s—hl example capacities range diagram - full span outriggers cranes area of operation capacity working span and front bumper outriggers full span outriggers (24 ft) boom load capacities in lbs with 31 ft boom 2nd boom 35000 33000 31500 6450 21000 20 400 4th loaded boom 5th boom 7000 16500 11850 8100

### Hydraulic Telescopic Crane

Altec AC38-127S-HL Hydraulic Telescopic Crane 38 Ton (345 t) Maximum Lifting Capacity 127 ft (387 m) 5-Section Boom Altec LMAP (Load Moment & Area Protection) System View thousands of Crane Specifications on FreeCraneSpecs.com View thousands of Crane Specifications on FreeCraneSpecs.com

### Pop PDF - Free Crane Specs

AC38-127S TELESCOPIC CRANE FOR NEW EQUIPMENT SALES, CALL 8669662969 TO SPEAK WITH AN ALTEC REPRESENTATIVE or visit us online at alteccom View thousands of Crane Specifications on FreeCraneSpecs.com View thousands of Crane Specifications on FreeCraneSpecs.com

### Altec Ac38 127s - srv001.prematuridade.com

Bookmark File PDF Altec Ac38 127s Altec Ac38 127s When somebody should go to the book stores, search foundation by shop, shelf by shelf, it is essentially problematic This is why we provide the book compilations in this website It will unquestionably ease you to look guide altec ac38 127s as you such as By searching the title, publisher, or

### northwestcrane.com

altec ac38-1279 capacities model ac38-127s-hl example capacities range diagram - full span outriggers 110 0 10 20 30 40 50 60 70 80 90 100 120 boom load capacities in 2nd lbs cranes area of operation with full span outriggers (24 ft) 5th 4th 3rd loaded boom angle capacity working area with full span and front bumper outriggers rotation 24 ft full

### 45 Ton (40.8 t) Maximum Lifting Capacity • 127 ft (38.7 m) ...

Altec AC45-127S standard features • Altec LMAP (Load Moment & Area Protection) System - Rated Capacity Limiter - Displays: Boom Length, Boom Angle, Load on Hook, Percent of Rated Capacity - Operator Defined Audible Alarm Set-Points for Boom Angle, Length and Rotational Position • Outrigger Boom Interlock System • Outrigger Motion

### Altec AC38-127S-HL - Drapeau Corporation

Altec AC38-127S-HL GT4500 Hydraulic Telescopic Crane • Prinoth GO-TRACK™ 4500 Carrier • 38 Ton (345 t) • 127 ft (387 m), 5-Section Boom • 137 ft (418 m) Sheave Height • 192 ft (585 m) Sheave Height with 55 ft (168 m), 2-Piece Jib • Altec LMAP (Load Moment & Area Protection) System • Outrigger Boom Interlock System • Winch Drum Rotation Indicator

### 2007 Peterbilt 340 EQUIPMENT SPECS

Altec AC38-127S Boom Truck CHASSIS SPECS TRANSMISSION UNIT INFORMATION FUEL TANK(S) FRONT AXLE REAR AXLES REAR SUSPENSION GVWR CAB FEATURES INTERIOR FEATURES EQUIPMENT SPECS ENGINE CAT C-7, 330 HP S/N: WAX51559 7680 Hours Block Heater RH Vertical Exhaust Fuller FRO-11210C 10 Speed Manual 5290 PTO Hours

### Altec Cranes, Material & Telehandlers CraneMarket

Altec AC38-127S-L Hydraulic Telescopic Crane ¥38 Ton (345 t) Maximum Lifting Capacity ¥127 ft (387 m) 5-Section Boom ¥Altec LMAP (Load Moment & Area Protection) System Courtesy of CraneMarket <https://cranemarket>

### 2007 Freightliner M2112 EQUIPMENT SPECS

Altec AC38-127 Boom Truck CHASSIS SPECS TRANSMISSION UNIT INFORMATION FUEL TANK(S) FRONT AXLE REAR AXLES REAR SUSPENSION GVWR CAB FEATURES INTERIOR FEATURES EQUIPMENT SPECS ENGINE CAT C-13, 430 HP S/N: KCB78110 7718 Hours Engine Brake Block Heater Dual Vertical Exhaust Fuller FRO-15210C 10 Speed Manual VIN: 1FVHC5DE87HX68161 ...

### **Altec Cranes, Material & Telehandlers Crane.Market**

Altec AC38-127S-HL GT4500 Hydraulic Telescopic Crane Prinoth GO-TRACK 4500 Carrier 38 Ton (345 t) 127 ft (387 m), 5-Section Boom 137 ft (418 m) Sheave Height 192 ft (585 m) Sheave Height with 55 ft (168 m), 2-Piece Jib Altec LMAP (Load Moment & Area Protection) System Outrigger Boom Interlock System Winch Drum Rotation Indicator Optional 800 lb (363 kg) Capacity Personnel Platform

### **Altec Industries, Inc. - GSA Advantage**

Altec Industries, Inc Contract Number: GS-30F-026GA General Services Administration AC18-70B AC38-127S 175 T AC23-95B AC40-152S 365 T AC30-103S AC45-127S 505 T GSA Contract No GS-30F-026GA 3 Customer Information 1a Table of awarded Special Item Numbers (SINs) with appropriate cross-reference to item descriptions and awarded prices:

### **I-80 EQUIPMENT**

ALTEC HD-35/22' Pressure Dig-ger, Rated @ 8,000-lb @ Zero 0°, JOHN DEERE 6-Cylinder 68L Engine, Model 6068TF150B - mounted on 2001 FREIGHTLINER T/A 4WD Chassis CRANE TRUCKS ALTEC AC38-127S-L 127' Telescopic Boom - mounted on 2005 STERLING Tri-Axle Chassis ALTEC AC35-127S 127' Telescopic Boom - mounted on 2000 INTERNA-